

Terms and concepts in LSS for NemID

Table of contents

| | | |
|---|--|---|
| 1 | The purpose and audience of the document | 3 |
| 2 | Summary of terminology | 4 |

Version history

| | | |
|------------------------------|--------------|-----|
| 13 th March 2014 | Version 0.91 | BS |
| 11 th March, 2014 | Version 0.9 | MSP |

1 The purpose and audience of the document



The purpose of this document is to guide user interface designers in the correct use of terms relating to LSS for NemID



The document addresses text authors and user interface designers of the service provider.



Summary of all documents in the LSS for NemID service provider package:

General documentation

- Introduction to the LSS for NemID service provider package
- Guidelines for the LSS for NemID interaction design and user selection
- Terms and concepts in LSS for NemID

Implementation documentation

- Checklist for implementing the LSS for NemID service provider example
- Implementation guidelines for LSS for NemID
- Implementation FAQ for LSS for NemID
- LSS for NemID service provider example source

Test documentation

- Guidelines on the use of LSS for NemID test tools
- Recommended test procedures for LSS for NemID

Reference documentation

- Specification document for the PID-CPR service
- Specification document for the RID-CPR service
- Specification document for LDAP API
- Specification document for OCSP
- Specification document for OCES II

2 Summary of terminology

Please see the document "Terms and concepts in NemID" for the general terminology for NemID in the most recent service provider package from Nets DanID.

The following terms and concepts apply to LSS for NemID:

| Danish terms | English terms | Comments |
|---|-------------------|---|
| Bruger-id | User ID | <p>According to Danish spelling practice, "id" is written in lower case and with a hyphen when connected to other words.</p> <p>http://retskrivningsordbogen.dk/ro/ro.htm?id-kort</p> <p>The user enters his/her user ID in the LSS iFrame content set up by the LSS supplier of the customer. It is possible for the organisation to configure custom help text that explains the choice of local User-ID and contact information for the local help desk.</p> |
| adgangskode | Password | |
| log på at logge på | log on | Essentially we use the expression "you log on with...", but it may be necessary to use the phrase "your logon". |
| Log af /At logge af | Log off | |
| Digital signatur Den digitale signatur | digital signature | Digital signature is accessed using NemID. |
| Underskriv at underskrive | sign to sign | |
| MOCES | | Employee certificate. As a rule it is not stated, whether the certificate is based on OCES I or OCES II. |
| LSS til NemID | LSS for NemID | LSS is the abbreviation for Local Signature Server (Lokal Signatur Server) and LSS for NemID is the name of the technical solution that must be in place at the customer |

Terms and concepts in LSS for NemID, version 0.91

| Danish terms | English terms | Comments |
|---|------------------------------|--|
| | | organisation, in order to use the LSS for NemID API. |
| LSS til NemID API | LSS for NemID API | The name of integration solution, enabling the use of employee signatures on mobile devices. |
| LSS til NemID TU pakke | LSS for NemID SP package | Documentation and tools for implementing service providers as well as LSS supplier support of the LSS for NemID API. |
| Log på med nøgleserver | Log on with signature server | Essentially, we use the expression "you log on with...", but it may be necessary to use the phrase "your logon". |
| NemID medarbejdersignatur på lokal nøgle server | | The NemID solution option that is supported by the LSS for NemID. |